Serial No.: 10/686,433

Art Unit: 2457 Page 5

In the Claims

The following is a marked-up version of the claims with the language that is underlined

("____") being added and the language that contains strikethrough ("——") being deleted:

1. (Currently Amended) A method for initiating an instant messaging (IM) session, the

method comprising:

receiving a rule for handling a received email message, the rule defining first criteria and

second criteria, the rule further defining an action to be performed when both the first criteria

and the second criteria are satisfied by the receiving email message, wherein the first criteria

specifies that the received email message is from a given Internet domain and the second

criteria specifies that the sender of the received email message is currently present at an instant

messaging account;

<u>determining whether the received email message is from the given Internet domain;</u>

determining whether a the sender of a the received email message is currently present

at an the Instant Messaging (IM) instant messaging account;

determining whether the sender of the received email message is a contact of a recipient

of the received email message; and

in response to determining that the received email message is from the given Internet

domain and the sender of the received email message is currently present at the IM instant

messaging account and in response to determining that the sender of the received email

message is the contact of the recipient of the received email message, automatically launching

an IM instant messaging session with the sender.

Serial No.: 10/686,433 Art Unit: 2457

Page 6

2. (Currently Amended) The method of claim 1, wherein determining whether a sender of

a received email message is currently present at an IM instant messaging account includes

extracting contact information from the email message, the contact information being associated

with the sender of the received email message.

3-9. (Canceled)

10. (Currently Amended) A computer-readable storage medium that includes a program

that when executed by a computer performs at least the following:

receiving a rule for handling a received email message, the rule defining first criteria and

second criteria, the rule further defining an action to be performed when both the first criteria

and the second criteria are satisfied by the receiving email message, wherein the first criteria

specifies that the received email message is from a given Internet domain and the second

criteria specifies that the sender of the received email message is currently present at an instant

messaging account;

determining whether the received email message is from the given Internet domain:

determining whether a the sender of a the received email message is currently present

at an the Instant Messaging (IM) instant messaging account;

determining whether the sender of the received email message is a contact of a recipient

of the received email message; and

in response to determining that the received email message is from the given Internet

domain and the sender of the received email message is currently present at the IM instant

messaging account and in response to determining that the sender of the received email

message is the contact of the recipient of the received email message, automatically launching

an IM instant messaging session with the sender.

Serial No.: 10/686,433 Art Unit: 2457

Page 7

11. (Previously Presented) The computer-readable storage medium of claim 10, the

program further extracting contact information from the email message, the contact information

being associated with the sender of the received email message.

12-17. (Canceled)

18. (Currently Amended) A system for initiating an instant messaging (IM) session, the

system comprising:

means for receiving a rule for handling a received email message, the rule defining first

criteria and second criteria, the rule further defining an action to be performed when both the

first criteria and the second criteria are satisfied by the receiving email message, wherein the

first criteria specifies that the received email message is from a given Internet domain and the

second criteria specifies that the sender of the received email message is currently present at

an instant messaging account;

means for determining whether the received email message is from the given Internet

domain;

means for determining whether a the sender of a the received email message is

currently present at an the Instant Messaging (IM) instant messaging account;

means for determining whether the sender of the received email message is a contact of

a recipient of the received email message; and

means for, in response to determining that the received email message is from the given

Internet domain and the sender of the received email message is currently present at the IM

instant messaging account and in response to determining that the sender of the received email

message is the contact of the recipient of the received email message, automatically launching

an IM instant messaging session with the sender.

Serial No.: 10/686,433 Art Unit: 2457

Page 8

19-25. (Canceled)

26. (Currently Amended) A computer-readable storage medium for initiating an instant

messaging (IM) session, the computer-readable medium including a program that when

executed by a computer performs at least the following:

receiving a rule for handling a received email message, the rule defining first criteria and

second criteria, the rule further defining an action to be performed when both the first criteria

and the second criteria are satisfied by the receiving email message, wherein the first criteria

specifies that the received email message is from a given Internet domain and the second

criteria specifies that the sender of the received email message is currently present at an instant

messaging account;

determining whether the received email message is from the given Internet domain;

determining whether a the sender of a the received email message is currently present

at an the Instant Messaging (IM) instant messaging account; and

in response to determining that the received email message is from the given Internet

domain and the sender of the email message is currently present at the HM instant messaging

account, automatically, without user input, launching an IM instant messaging session with the

sender.

27. (Previously Presented) The computer-readable storage medium of claim 26, the

program further extracting contact information from the email message, the contact information

being associated with a sender of the email message.